Product Brochure

製品カタログ 産品目錄



Sewing machine needles ミシン針 縫紉針 For Extra Durability


PDcoating



Solutions for
Wear Tip damage

■Titanium coating

5 Times increased durability Twice as strong as chrome plating



For Anti-adhesion


LPcoating



Solutio	ons for
Upper thread cut	Skipped stitches
Puckering	Down migration

■Anti-adhesive coating

Less adhesive with special coating



Lineup

Product		Size (top; ORGAN, bottom; EU)																				
	6	7	8	9	10	+	12	13	14 90	16 100	18	19	20	21 130	22 2	221/2		23½ 170		25 200	Tip + Point	Remarks
	50 5	55	60	65	70		80	85			110	120	125			150						
DP×5	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	R	
DP×5++		•		•	•	•		•	•	•	•	•	•	•	•		•		•		R	
DP×5KN			•	•	•	•	•														S	
DP×5SF				•	•	•															S	
DP×5NS			•	•	•	•	•		•												SPI	
DP×134-SK									•	•	•	•	•	•	•		•				R	
DP×134LL					•	•	•	•	•	•	•	•		•	•		•		•		Cutting LL	
DP×134LR				•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	Cutting LR	
DP×134S				•	•	•	•	•	•	•	•	•	•	•	•	•	•			•	Cutting S	
DP×134P					•	•	•	•	•	•	•	•	•	•	•		•				Cutting P	
DP×134D					•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	Cutting D	
DP×134DIA					•		•		•	•	•	•	•	•	•		•		•		Cutting DIA	
PF×134KK			•		•	•	•	•	•	•	•	•		•	•						R	
PF×134PCL			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	Cutting P	
D0×558					•	•	•		•	•	•	•		•							R, Slim	Large eye
D0×558-NY2																					R. Slim	

^{*}DP×5++ will be integrated with DP×5.

R=Standard

ORGAN® NEEDLE CO., LTD.

1 Maeyama, Ueda-shi, Nagano-ken 386-1436, Japan


TEL +81-268-38-3363 FAX +81-268-38-3590

MAIL sales-dpt@organ-ndl.co.jp









NEW STANDARD DP×5++ ~#12

Ideal Compatibility of Contradicting Functions 🗸 Productivity 🗸 Safety 🗸 Usability







Improvement of Multifunctional Balance NEW Upper thread cut preventio Yarn breakage prevention


TOUGH & DELICATE TECHNOLOGY



New TD blade

- Optimized diagonal distance
- Perfect strength balance
- Fabric-friendly shape
- ■Long shank / Short front groove

Yarn breakage | Skipped stitches | Needle breakage | Upper thread cl



TD Scarf

- Less contact against hook
- Operator friendly

arn breakage Skipped stitches Needle breakage Upper thread cut





Scarf cross section

Cliff Scarf

Stable loop formation

kage Skipped stitches Needle breakage

Large Eye

- One size bigger needle eye
- ■Smooth needle eye surface

Yarn breakage | Skipped stitches | Needle breakage | Upper thread cu



For Delicate Synthetic Fabrics

Yarn pulling

10 Package Indication

Solutions for Puckering

Down migration

- **■**SPI point
- ■Long tapered needle point
- ■Straight blade

Straight blade and SPI point reduce penetration resistance.





For Knitted Fabrics

KN/SF series





Package Indication

Solutions for Yarn breakage Yarn twisting Yarn pulling Down migration Mismatched fabric pattern

- S point
- ■Straight blade

Straight blade and long tapered needle point reduce penetration resistance.





For a Variety of Knitted Fabrics

BPseries

Solutions for

Yarn twisting

Rubber protrusion

■Ball size selection

105

Yarn breakage

Mismatched fabric pattern

Tip damage







Ball point spreads fabric gently.

Widely

adaptable

